



MALVINA EUROPE SARL

CAPITAL VARIABLE DE 15 246 Euros • C.E. FR 784 376 783 78


R.C.S Saint-Gaudens 437 678 378 • SIRET 437 678 378 00013



SAUNA VERTICAL



Available roof colors/couleurs de toits (shingles) disponibles :



Vertical sauna

Sauna barrels (m)

2,5	3	3,5	4
-----	---	-----	---



Shape: Oval

Inside area: 9 m³

Total height: 2,70 m.



6-8 people



Standart set:

- Barrel with black bitumen shingles on the roof,
- benches,
- stainles steel tightening bands,
- door with glass,
- 6 windows in the back side;

Original, functional and high quality vertical sauna is perfect for a garden or a backyard; it will adorn the environment and give hot bath pleasures.

Vertical sauna can be made of spruce, larch or thermo wood. Upon customer's request, we can install a wood-fired furnace or an electric heater in the vertical sauna.

Thickness of the structure walls is 38 mm. The diameter of the vertical sauna is 2.45 m, and it has 2 m high walls, thus it takes up little space and is ideal for use outdoors.

Overall height including the roof: 2.70 m.

The sauna is delivered to the customer fully assembled, so you do not need to mount it. The sauna of vertical structure has better air circulation.

When regularly using the sauna, health benefits are obvious.

Wood burning stoves and electrical heaters :



M3



PRO 20



M3 SL



SL 20



BC 60
BC 80
BC 90



CLUB 13.5





ADDITIONAL PRODUCTS / ACCESSOIRES



Ventilation for sauna



Head rest



Sauna light



Thermometer-hydrometer



Sauna light cover



Back rest



Wooden ladle



Clothes hanger



Wooden bucket for water
(with plastic 4 liters)



22 liters water tank for
burning heaters



Heater security fence for
wood burning heaters



Heater security fence
for electric ovens

Maintenance



You should not forget that wood is a natural material, it change move depending on weather conditions. Large and small cracks, color tone differences and changes, as well as a changing structure of wood are not errors, but a result of wood growing and a feature of wood as a natural material.

Natural wood (not impregnated) becomes grayish after having been left untouched for a while, and can be turn blue and become moldy. You should immediately process them with wood impregnations to protect the wooden details of our produced products.

We definitely recommend that you process the door and windows with a wood impregnation agent, and do it

namely both inside and outside, because the doors and windows can become twisted. In general, we recommend for the conclusive finishing a weather protection paint that will protect wood from moisture and UV radiation after the house is assembled.

Consult a specialist regarding paints suitable for unprocessed softwood and follow the paint manufacturer's instructions.

Your garden house life time will be much longer after having properly painted. We recommend that you inspect the house thoroughly once every six month.



MALVINA SYSTEMS



www.malvina.fr



MALVINA EUROPE SARL

55, avenue Foch, 31110 – Bagnères de Luchon (France)

E-mail : malvina@malvina.fr - chalets@malvina.fr

Web : www.chaleurverte.malvina.fr - www.malvina-europe.com

Bureau : 33 (0) 561 794 699 - Mobile : 33 (0) 688 881 532

Skype : [malvinaeurope](https://www.skype.com/name/malvinaeurope)



chalets@malvina.fr